

Analysis of Stable Matchings in R: Package `matchingMarkets`

Thilo Klein*
OECD

Abstract

R package `matchingMarkets` implements structural estimators to correct for the sample selection bias from observed outcomes in matching markets. This includes one-sided matching of agents into groups as well as two-sided matching of students to schools. The package also comes with R code for three matching algorithms: the deferred-acceptance (or Gale-Shapley) algorithm for stable marriage and college admissions problems, the top-trading-cycles algorithm for house allocation and a partitioning linear program for the roommates problem.

Keywords: market design, stable matching, endogeneity, selection models, Bayesian methods, econometrics, R.

1. Introduction

Social scientists are often interested in understanding the outcomes of interactions. Applications range from the success of entrepreneurial teams or management boards (Hoogendoorn, Oosterbeek, and Van Praag 2013) to the performance of bank mergers or credit groups (Klein 2015a). More generally, these questions are at the core of diversity debates on race and gender composition (Herring 2009).

In the economics literature, the markets that describe these interactions are referred to as matching markets. Matching is concerned with who transacts with whom, and how. Economists further distinguish between one-sided and two-sided matching markets. The former are concerned with, for example, who forms a workgroup with whom. Two-sided matching markets consider problems such as who works at which job or which students go to which school, and so on. The empirical analysis of matching markets is naturally subject to sample selection problems. If agents match on characteristics unobserved to the analyst but correlated with both the exogenous variable and the outcome of interest, regression estimates will generally be biased.

Klein (2015a) is the first to develop a sample selection model to correct for this problem in one-sided matching contexts using credible exclusion restrictions. His model extends the two-sided matching model of Sørensen (2007a).

The aim of this paper is to describe the R¹ package `matchingMarkets` (Klein 2015b) that

*I thank Christian Ahlin, Jiawei Chen and Morten Sørensen for their guidance and helpful discussions. All views and errors are mine.

¹The R project for statistical computing (R Core Team 2014) at <http://www.r-project.org/>.

contains C++ code for the estimation of structural models that correct for the sample selection bias of observed outcomes in both one-sided and two-sided matching markets. Specifically, the **matchingMarkets** package contains

1. *Bayes estimators.* The estimators implemented in function **stabit** and **stabit2** correct for the selection bias from endogenous matching. The current package version provides solutions for two commonly observed matching processes: (i) the *group formation problem* with fixed group sizes and (ii) the *college admissions problem*. These processes determine which matches are observed – and which are not – and this is a sample selection problem.
2. *Post-estimation tools.* Function **mfz** computes marginal effects from coefficients in binary outcome and selection equations and **kfb** implements the Karlson-Holm-Breen test for confounding due to sample selection (Karlson, Holm, and Breen 2012).
3. *Design matrix generation.* The estimators are based on characteristics of all feasible – i.e. observed and counterfactual – matches in the market. Generating the characteristics of all feasible matches from individual-level data is a combinatorial problem. The package returns a design matrix based on pre-specified transformations to generate counterfactual matches.
4. *Algorithms.* The package also contains three matching algorithms: the deferred acceptance algorithm (**daa**) for **stable marriages** and **college admissions**, the top-trading-cycles algorithm (**ttc**) for **house allocation** and a partitioning linear program (**plp**) for the **stable roommates problem**. These can be used to obtain stable matchings from simulated or real preference data.
5. *Data.* In addition to the **baac00** dataset from borrowing groups in Thailand's largest agricultural lending program, the package provides functions **stabsim** and **stabsim2** to simulate one's own data from one-sided and two-sided matching markets.

Frequently Asked Questions

- *Why can I not use the classic Heckman correction?*

Estimators such as the Heckman (1979) correction (in package **sampleSelection**) or double selection models are inappropriate for this class of selection problems. To see this, note that a simple first stage discrete choice model assumes that an observed match reveals match partners' preferences over each other. In a matching market, however, agents can only choose from the set of partners who would be willing to form a match with them and we do not observe the players' relevant choice sets.

- *Do I need an instrumental variable to estimate the model?*

Short answer: No. Long answer: The characteristics of other agents in the market serve as the source of exogenous variation necessary to identify the model. The identifying exclusion restriction is that characteristics of all agents in the market affect the matching, i.e., who matches with whom, but it is only the characteristics of the match partners that affect the outcome of a particular match once it is formed. No additional instruments are required for identification (Sørensen 2007a).

- What are the main assumptions underlying the estimator?

The approach has certain limitations rooted in its restrictive economic assumptions.

1. The matching models are *complete information* models. That is, agents are assumed to have a perfect knowledge of the qualities of other market participants.
2. The models are *static equilibrium* models. This implies that (i) the observed matching must be an equilibrium, i.e., no two agents would prefer to leave their current partners in order to form a new match (definition of pairwise stability), and (ii) the equilibrium must be unique for the likelihood function of the model to be well defined (Bresnahan and Reiss 1991).
3. Uniqueness results can be obtained in two ways. First, as is common in the industrial organization literature, by imposing suitable *preference restrictions*. A necessary and sufficient condition for agents' preferences to guarantee a unique equilibrium is alignment (Pycia 2012). In a group formation model, pairwise preference alignment requires that any two agents who belong to the same groups must prefer the same group over the other. A second means to guarantee uniqueness is by assigning matches based on matching algorithms that produce a unique stable matching, such as the well-studied Gale and Shapley (1962) deferred acceptance algorithm.
4. Finally, the models assume *bivariate normality* of the errors in selection and outcome equation. If that assumption fails, the estimator is generally inconsistent and can provide misleading inference in small samples (Goldberger 1983).

The remainder of the paper is structured as follows. Section 2 clearly motivates the importance of correcting for sorting bias that arises from endogenous one-sided matching in group formation. For an example in a two-sided matching context, see Sørensen (2007a). Section 3 outlines the multi-index sample selection problem, develops the structural model and discusses the identification strategy. Section 4 presents Monte-Carlo evidence of the robustness of the estimator in small samples. Section 5 provides replication code and data for an application of the method in microfinance group formation (see Klein 2015a).

2. Example of sorting bias: omitted variables

This section clearly motivates the importance of the bias that arises from sorting into groups and thereby complicates the analysis of group-level data. The focus in the following example is on the bias that results when variables influencing peer selection are not observed in the data. Appendix A continues this example by illustrating the bias arising when variables influencing peer selection are measured with error. Appendix B shows that sorting bias persists – even in the absence of omitted variables and measurement error – when the analysis is based on market-level, rather than group-level variables.

2.1. Matching

To begin with, consider a credit market with four entrepreneurs A , B , C and D , who have no pledgeable collateral, and one lender, who offers a group-lending contract. In this contract, loans are given to groups of two and borrowers repay an interest rate r if their project succeeds

plus a joint-liability payment $q \leq r$ when they succeed and their partner defaults. Assume that the entrepreneurs prefer to take loans in groups over the outside option of remaining unmatched. There are three feasible group constellations or matchings. One possibility is that borrower A forms a match with borrower B and borrower C matches with borrower D . Denote this matching $\mu_1 = \{AB, CD\}$. The other two possible matchings are $\mu_2 = \{AC, BD\}$ and $\mu_3 = \{AD, BC\}$. I will refer to $M = \{\mu_1, \mu_2, \mu_3\}$ as the set of feasible matchings.

Which of these matchings is observed depends on all four borrowers' preferences over feasible matches. Each of the six potential matches between any two borrowers i and j has an associated match valuation, V_{ij} . Using the equilibrium characterisation under non-transferable utility in Klein (2015a), the equilibrium condition for μ_1 can be written in the form of the inequality

$$\max\{V_{AB}, V_{CD}\} > \max\{V_{AC}, V_{BD}, V_{AD}, V_{BC}\}. \quad (1)$$

The inequality states that the equilibrium matching contains the match with the largest of the six match valuations. The intuition is that those two borrowers who form the match with the highest valuation have no incentive to deviate. In this simple example, the second equilibrium group is formed by the two residual borrowers. Put differently, the valuation of every non-equilibrium group must be smaller than the opportunity costs of its members to leave their equilibrium groups AB and CD and form a new group.

2.2. Match valuation

The equilibrium condition is based on the six match valuation equations. These equations are taken from the model in Ghatak (1999) with two modifications. First, I denote the borrowers' inherent probability of default as $d_i := 1 - p_i$ and assume – for clearer exposition – that $d_i d_j$ is close to zero and therefore negligible. Second, I assume that all borrowers are exposed to the same external shocks but differ in the intensity γ with which external shocks affect their probability of default. This results in linear match valuations as follows:

$$V_{ij} = u_{i,j} + u_{j,i} = -q(p_i + p_j) + 2qp_i p_j + 2q\gamma_i \gamma_j \quad (2)$$

$$\stackrel{d_i d_j = 0}{=} -q(d_i + d_j) + 2q\epsilon_{ij} \quad (3)$$

$$= \alpha_1 \epsilon_{ij} + \eta_{ij}. \quad (4)$$

Here, d_i and d_j give the risk type (probability of default) of borrower i and j . When risk type is unobserved, the term $-q(d_i + d_j)$ is captured in the match-specific error term η_{ij} .

For this example, let the characteristics of the four borrowers be as given in Table 1. Furthermore, let the interest payment be $r = 2$ and set the joint liability payment to $q = 1$. The six valuations, V_{ij} , are then given in Table 2.

Table 1: Borrower-level characteristics.
- d_i : failure prob.
- γ_i : risk exposure

	d_i	γ_i
A	0.2	0.3
B	0.3	0.4
C	0.3	0.2
D	0.4	0.3

Which groups are observed in equilibrium is determined by the condition in Eqn 1. In this example, the values in Table 1 were chosen such that the observed component γ_i and the unobserved component d_i are uncorrelated, i.e. $\text{cor}(\gamma_i, d_i) = 0$. Table 2 illustrates how, for observed equilibrium groups, the independent variable ϵ_{ij} will be correlated with the error term η_{ij} when matching is on both these variables, i.e. when $\alpha_1 \neq 0$. Simple algebra confirms that for the set of feasible groups in Table 2, the correlation between ϵ_{ij} and η_{ij} is zero. For the equilibrium groups in $\mu = \{AB, CD\}$, however, we find $\text{cov}(\epsilon_{ij}, \eta_{ij}) = +0.06$.

Table 2: Group-level variable values of

- $(d_i + d_j)$: failure prob.
- ϵ_{ij} : risk exposure
- V_{ij} : group valuation
- $Y_{ij}^{\beta_1=0}$: group outcome

	$(d_i + d_j)$	$\epsilon_{ij} = \gamma_i \gamma_j$	V_{ij}	$Y_{ij}^{\beta_1=0}$
<i>AB</i>	0.5	0.12	-0.26	3.5
<i>AC</i>	0.5	0.06	-0.38	3.5
<i>AD</i>	0.6	0.09	-0.42	3.4
<i>BC</i>	0.6	0.08	-0.44	3.4
<i>BD</i>	0.7	0.12	-0.46	3.3
<i>CD</i>	0.7	0.06	-0.58	3.3

2.3. Match outcome

Let us now turn to the group outcome, Y_{ij}^* , which is given by the expected repayment:

$$Y_{ij}^* = (r + q)(p_i + p_j) - 2qp_i p_j - 2q\epsilon_{ij} \quad (5)$$

$$\stackrel{d_i d_j = 0}{=} 2r - (r - q)(d_i + d_j) - 2q\epsilon_{ij} \quad (6)$$

$$= \beta_0 + \beta_1 \epsilon_{ij} + \varepsilon_{ij}. \quad (7)$$

Note that $\frac{\partial V_{ij}}{\partial p_i} = -q + 2qp_j > 0$ for $p_j > 0.5$ and $\frac{\partial Y_{ij}^*}{\partial p_i} = r + q - 2qp_j > 0$ for $r > q$. That is, both match valuation and match outcome are increasing in risk type. In fact, the unobservable component in the outcome equation is $\varepsilon_{ij} = \delta \eta_{ij}$ with $\delta = (r - q)/q = +1$ and the outcome equation can be rewritten as


$$Y_{ij}^* = \beta_0 + \beta_1 \epsilon_{ij} + \delta \eta_{ij}. \quad (8)$$

Now consider estimating the parameter β_1 . Assume, for simplicity, that the true coefficient is $\beta_1 = 0$. That is, the group outcome Y_{ij}^* only depends on the unobservable risk type. A simple OLS based on the observed data points yields an upwards-biased coefficient of $\hat{\beta}_1 = +10/3$ (see Figure 1). It is clear that the source of the bias is the correlation between the independent variables and the error term. For the expected value of $\hat{\beta}_1$, we have $\mathbb{E}[\hat{\beta}_1] = \beta_1 + \frac{\text{cov}(\epsilon_{ij}, \varepsilon_{ij})}{\text{var}(\epsilon_{ij})} = 0 + \frac{0.06}{0.018} = 10/3$.

Figure 1 also illustrates how the bias resolves when groups are assigned randomly. Then, the expected marginal effect $\hat{\beta}_1$ can be seen as the equally weighted average of the OLS estimates for the three equiprobable, feasible group constellations, i.e. $\frac{1}{3}(\frac{10}{3} - \frac{10}{3} + 0) = 0$. A comparison of the coefficient estimate for the endogenously formed groups ($\hat{\beta}_1 = 10/3$) and the random assignment ($\hat{\beta}_1^* = 0$) separates the bias from sorting.

The matching model in the econometric analysis below controls for this bias by estimating both the matching and outcome equations simultaneously. The variation in borrower types

Figure 1: Bias on coefficient pertaining to risk exposure term ϵ_{ij} from endogenous sorting when risk type is unobserved. Bias resolves (i) under random assignment, or (ii) when matching is independent of risk exposure, i.e. $\alpha_1 = 0$.



across markets serves the role of an instrumental variable and helps to identify the coefficients in the outcome equation.

3. Multi-index sample selection

This section develops a structural empirical model to estimate the direct (or causal) effect of the independent variables, net of sorting bias. Technically, the equilibrium groups constitute a self-selected sample.² Heckman (1979) proposes a two-stage correction that estimates selection and outcome equations simultaneously and explicitly models the dependence structure of the error terms. The selection problem at hand, however, differs substantially from that in Heckman.

3.1. Problem statement

In the four-player example from Section 2, the first-stage selection mechanism that determines which player groups are observed (and which are not) is a one-sided matching game and not a simple discrete choice as in the Heckman model. A discrete choice model assumes that an observed match reveals group partners' preferences over each other. However, the observed matching is the outcome of complex interactions and conflicts of interest between the players in the market.

To make this point clearer, consider the example in Section 2 where any player strictly prefers matching with partner A or B over C or D . Assume we observe the match of agents C and D in a market of four players A , B , C and D . With a discrete choice model, we would infer that C 's choice of partner D suggests that $u_{C,D} > u_{C,A}$. This restriction on the latent match valuations can then be used to derive the likelihood. However, such a conclusion has potential flaws in matching markets. In such markets, players B , C and D compete over a match with player A . If player A prefers to match with B instead of C , then we observe the match CD from the example although it may well hold that $u_{C,A} > u_{C,D}$. In particular, players can only choose from the set of partners who would be willing to form a match with them. However,

²Wooldridge (2002, Chapter 17) provides a comprehensive textbook treatment of sample selection models.

we do not observe the players' relevant choice sets. This makes direct inference based on a discrete choice model impossible, even if it accounts for social interactions such as the models in [Brock and Durlauf \(2007\)](#) and [Ciliberto and Tamer \(2009\)](#).

In response to this problem, [Sørensen \(2007b\)](#) generalises the single-index Heckman sample selection model to multi-index sample selection models that allow for selection based on game theoretical models by relaxing the index property. The index property requires that two matches, such as AB and CD , that have the same probability of being observed also have the same conditioning of unobserved characteristics. This requirement fails in matching markets. Here, for safe types A and B the unobserved characteristics are truncated from *below* since they would be unable to match with a safe type if their unobserved characteristics were low. Following the same logic, for risky types C and D the unobserved characteristics are truncated from *above*.

In matching markets, therefore, the index property is violated and a multi-index selection model is called for. This model is a system of two equations. The first equation determines when the outcome is observed, while the second equation determines the outcome.

3.2. Structural empirical model

The first part of the structural model is the selection equation. The selection process can be written as the following system of match equations

$$V_G = W_G \alpha + \eta_G. \quad (9)$$

There are $|\Omega|$ equations, where Ω is the set of feasible groups in the market. $V \in \mathbb{R}^{|\Omega|}$ is a vector of latents and $W \in \mathbb{R}^{|\Omega| \times k}$ a matrix of k characteristics for all feasible groups. $\alpha \in \mathbb{R}^k$ is a parameter vector and $\eta \in \mathbb{R}^{|\Omega|}$ a vector of random errors. Whether a group, and therefore its outcome Y_G , is observed in equilibrium is indicated by $D_G = 1[V_G \in \Gamma_\mu]$. This is an indicator function with $D_G = 1$ if Y_G is observed, and 0 otherwise. Y_G is observed iff a group is part of the equilibrium matching μ in the market. That is, its group valuation is in the set of valuations Γ_μ that satisfy the equilibrium condition.³ This set of valuations is the link between the structural empirical model and the equilibrium characterisations derived in [Klein \(2015a\)](#) (for non-transferable utility) and [Proposition C.1](#) (for transferable utility) in [Appendix C](#). With $V \in \mathbb{R}^{|\Omega|}$, the vector of all valuations in the market, the equilibrium condition can be written as a collection of inequalities that give upper and lower bounds on the match valuations as follows

$$V \in \Gamma_\mu \Leftrightarrow [V_G < \overline{V}_G \ \forall G \notin \mu] \Leftrightarrow [V_G > \underline{V}_G \ \forall G \in \mu]. \quad (10)$$

Substitution of the match valuations in [Eqn 9](#) into the equilibrium condition above, allows us to state the condition on the error terms

$$\mu \text{ is stable} \Leftrightarrow \eta \in \Gamma_\mu - W\alpha. \quad (11)$$

The likelihood of the matching model is then

$$L(\mu; \alpha) = \mathbb{P}(\eta \in \Gamma_\mu - W\alpha) = \int 1[\eta \in \Gamma_\mu - W\alpha] dF(\eta), \quad (12)$$

³The classical [Heckman \(1979\)](#) model is a special case where $D_G = 1[V_G \geq 0]$ and the set of feasible valuations is simply $\Gamma = [0, +\infty)$.

where $1[\cdot]$ is the indicator function and estimates for α could, in principle, be obtained by maximising this function. When several independent matching markets are observed, the likelihood is the product over these markets. To normalise parameter level, the constant term is excluded from W .

The second part of the model is the outcome equation. The binary outcome is given as $Y_G = 1[Y_G^* > 0]$, where the latent group outcome variable Y_G^* is

$$Y_G^* = X_G\beta + \varepsilon_G, \quad (13)$$


with $\varepsilon_G := \delta\eta_G + \zeta_G$, where ζ_G is a random error. This specification allows for a linear relationship between the error terms in the selection and outcome equation with covariance δ . The design matrices $X \in \mathbb{R}^{|\mu|}$ and $W \in \mathbb{R}^{|\Omega|}$ do not necessarily contain distinct explanatory variables.

3.3. Distribution of error terms

Figure 2 summarises the structural model. If there are unobservables, captured in the error term, that determine both match valuation (the decision who matches with whom in the market) and the outcome, then η and ε are correlated and we have an endogeneity problem.

Figure 2: The structural empirical model.

- $X_{G \notin \mu}$ characteristics of non-equilibrium groups
- $X_{G \in \mu}$ characteristics of equilibrium groups
- $D_{G \in \mu}$ equ. indicator
- $Y_{G \in \mu}$ equ. outcome
- η, ε correlated latents



The joint distribution of ε_G and η_G is assumed bivariate normal with mean zero, and constant covariance δ .

$$\begin{pmatrix} \varepsilon_G \\ \eta_G \end{pmatrix} \sim N \left(0, \begin{bmatrix} \sigma_\xi^2 + \delta^2 & \delta \\ \delta & 1 \end{bmatrix} \right) \quad (14)$$

Here, the variance of the error term of the outcome equation σ_ε^2 is $\text{var}(\delta\eta + \xi) = \delta^2 + \sigma_\xi^2$. To normalise parameter scale, the variance of η and ζ is set to 1, which simplifies σ_ε^2 to $1 + \delta^2$ in the estimation. If the covariance δ were zero, the marginal distributions of ε_G and η_G would be independent and the selection problem would vanish. That is, the observed outcomes would be a random sample from the population of interest.

3.4. Identification

The structural model allows for correlation between ε and η , and imposes necessary equilibrium conditions on the valuations of both observed and unobserved groups. The interaction

in the market makes estimation computationally involved but overcomes the identification problem.

Identification requires exogenous variation. In this model, it is the characteristics of the other agents in the market that provide the exogenous variation. To illustrate, recall the example in Section 2 with valuation Eqn 4 and outcome Eqn 8. The characteristics in the outcome equation of group AB are simply $X = (X_{AB})$. The characteristics in the selection equation are $W = (X_{AB}, X_{CD}, X_{AC}, X_{AD}, X_{BC}, X_{BD})$, and the independent elements of W are then $W' = (X_{CD}, X_{AC}, X_{AD}, X_{BC}, X_{BD})$. The identifying assumption is thus that the characteristics of agents outside the match (those comprised in W') are exogenous, i.e., uncorrelated with the error terms. Put differently, the exclusion restriction is that D (which groups are observed in equilibrium) depends the characteristics of all agents in the market, while the outcome of the equilibrium groups only depends on the characteristics of the members of those groups.

In particular, other agents' characteristics are not used as instruments in a traditional sense. Rather than entering the selection equation directly, they pose restrictions on the match valuations by determining the bounds in the estimation.

3.5. Estimation

In the estimation, I follow [Sørensen \(2007a\)](#), who uses Bayesian inference with a Gibbs sampling algorithm that performs Markov Chain Monte Carlo (MCMC) simulations from truncated normal distributions. The latent outcome and valuation variables, Y^* and V , are treated as nuisance parameters and sampled from truncated Normal distributions that enforce sufficient conditions for the draws to come from the equilibrium of the group formation game. For the posterior distributions, see [Klein \(2015a\)](#). For an illustration of the simulation of the posteriors, see Appendix D.

The conjugate prior distributions of parameters α , β and δ are Normal and denoted by $N(\bar{\alpha}, \Sigma_\alpha)$, $N(\bar{\beta}, \Sigma_\beta)$ and $N(\bar{\delta}, \sigma_\delta^2)$. In the estimation, the prior distributions of α and β have mean zero and variance-covariance matrix $\Sigma_\beta = (\frac{1}{|\mu|} X'X)^{-1}$ and $\Sigma_\alpha = (\frac{1}{|\Omega|} W'W)^{-1}$. This is the widely studied and used g-prior ([Zellner 1986](#)). For δ , the prior distribution has mean zero and variance 10. For this parameter, the prior variance is at least 40 times larger than the posterior variance in all estimated models. This confirms that the prior is fairly uninformative.

Under the assumption of transferable utility, estimation is computationally complex due to the valuation of the equilibrium bounds. Here, estimation does not simply involve a maximisation of a given set of valuations as in [Klein \(2015a\)](#). Instead, the bounds in Eqns 22 and 23 derived in Appendix C require a maximisation over the set of all feasible matchings in the market – rather than only the matches. This involves solving a partitioning linear program (see [Quint 1991](#)).

4. Monte Carlo experiments

The first part of this section presents a simple simulation study of sorting bias. The second part presents Monte Carlo evidence of the correction method proposed in [Klein \(2015a\)](#) (see Section 3) and implemented in R package **matchingMarkets**. It further provides Monte Carlo studies on the robustness of the proposed estimator in small samples.

4.1. A simple example

I first provide a brief overview of the basic functionality of the **matchingMarkets** package and introduce the model specification used in the Monte Carlo experiments.

Individual-level data

The **stabsim** function simulates individual-level, independent variables. The code below generates data for **m=1,000** markets with **gpm=2** groups per market and group size **ind=5**.

```
R> ## Simulate individual-level, independent variables
R> library(matchingMarkets)
R> idata <- stabsim(m=1000, ind=5, seed=123, gpm=2)
R> head(idata)
```

	m.id	g.id	wst	R
1	1	1	0	NA
2	1	1	1	NA
3	1	1	0	NA
4	1	1	1	NA
5	1	1	1	NA
6	1	2	0	NA

The resulting data frame contains a market and group identifiers *m.id* and *g.id* and the independent variable $wst \sim B(1, 0.5)$. The dependent variable *R* depends on the error terms and is still undefined at this stage.

Group-level data

Next we apply the function **stabit** that serves three purposes.

- First, it specifies the list of variables to be included in **selection** and **outcome** equations and generates group-level variables based on group members' individual characteristics. For example, the operation **ieq="wst"** produces the probability that two randomly drawn group members have the same value of **wst**.
- Second, if **simulation="NTU"**, it draws standard normal, group-level unobservables **eta** and **xi** to enter selection and outcome equation and selects equilibrium groups based on the group formation game with non-transferable utility, assuming pairwise aligned preferences as in [Klein \(2015a\)](#). In the case of two groups per market, this selection rule results in one dominant group with the maximum group valuation and one group comprised of the residual agents.
- Third, the argument **method="model.frame"** specifies that only the group-level model matrices be generated. Other options are estimators using "NTU" for selection correction using non-transferable utility matching as selection rule or "outcome" for estimation of the outcome equation only.

```
R> ## Simulate group-level variables (takes a minute to complete...)
R> mdata <- stabit(x=idata, simulation="NTU", method="model.frame",
+               selection = list(ieq="wst"),
+               outcome   = list(ieq="wst"))$model.frame
```

The resulting object `mdata` is a list containing data for selection and outcome equations in `SEL` and `OUT`, respectively. `SEL` contains 252,000 rows, one for each of $\binom{5}{10} = 252$ feasible groups in each of the 1,000 markets. A group's valuation is given by $V = +1 \cdot \text{wst.ieq} + \text{eta}$. The variable `D` indicates which groups are observed in equilibrium `D=1` and which are not `D=0`.

```
R> head(mdata$OUT, 4)
```

	m.id	g.id	intercept	wst.ieq	R	xi	epsilon
1	1	1	1	0.4	-0.78221286	-1.6679419	-0.3822129
2	1	2	1	0.4	0.17095999	0.2145388	0.5709600
3	2	1	1	0.6	-0.57408090	-1.3165104	0.0259191
4	2	2	1	0.6	-0.08277463	1.4414618	0.5172254

The outcome data in `OUT` contains 2,000 rows, one for each of 2 equilibrium groups per market. The group outcome is given by $R = -1 \cdot \text{wst.ieq} + \text{epsilon}$ with $\text{epsilon} := +0.5 \cdot \text{eta} + \text{xi}$.

```
R> head(mdata$SEL, 4)
```

	m.id	g.id	wst.ieq	D	V	eta
1	1	1	0.4	1	2.97145815	2.5714581
2	1	2	0.4	1	1.11284232	0.7128423
3	1	3	0.4	0	0.05608277	-0.3439172
4	1	4	0.6	0	2.19850877	1.5985088

Bias from sorting


Now, estimating the outcome equation of this model with OLS yields upward biased estimates of the slope coefficient β (see Figure 3a).

```
R> ## Naive OLS estimation
R> lm(R ~ wst.ieq, data=mdata$OUT)$coefficients
(Intercept)      wst.ieq
  0.3961386   -0.4372392
```

The source of this bias is the positive correlation between `epsilon` and the exogenous variable `wst.ieq` (see Figure 3b).

```
R> ## epsilon is correlated with independent variables
R> with(mdata$OUT, cor(epsilon, wst.ieq))
[1] 0.07898835
```

Figure 3: Matching on unobservables



The intuition behind this bias is given in the example in Section 2 and a formal treatment is available in [Klein \(2015a\)](#). From Eqn 8, we know that $\epsilon = \delta \eta$. Thus, conditional on η , the unobservables in the outcome equation are independent of the exogenous variables (because ξ does not enter the selection equation).

```
R> ## xi is uncorrelated with independent variables
R> with(mdata$OUT, cor(xi, wst.ieq))
[1] 0.007490279
```


Correction of sorting bias

The selection problem is resolved when the residual from the selection equation, η , is controlled for in the outcome equation (see the horizontal, lower line in Figure 4).

```
R> ## 1st stage: obtain fitted value for eta
R> lm.sel <- lm(V ~ -1 + wst.ieq, data=mdata$SEL); lm.sel$coefficients
  wst.ieq
1.004501
R> eta <- lm.sel$resid[mdata$SEL$D==1]
R> ## 2nd stage: control for eta
R> lm(R ~ wst.ieq + eta, data=mdata$OUT)$coefficients
(Intercept)      wst.ieq          eta
-0.03858257 -0.96578534  0.50366230
```

The figure below plots the bias from sorting against the independent variable, for the naive OLS and the selection-correction from the structural model.

Figure 4: Sorting bias corrected: Relative magnitudes of sorting bias and the direct effect.



In most real-world applications, however, the match valuations V are unobserved. The solution is to estimate the selection equation by imposing equilibrium bounds (as derived in Proposition C.1) on the latent match valuations and this is the procedure I follow in the Monte Carlo experiments below.

4.2. Simulation results

The Monte Carlo experiments are designed to test for the validity of the estimator. I continue to use the variable `wst.ieq` from the original model. The true parameters are defined as seen in the first row of Table 3. The table is composed of three blocks, each representing a different market setting and sampling strategy. The first block gives the results of a benchmark experiment that aims to see whether the structural model can reduce the bias of standard OLS estimates. Experiment 1 tests the robustness of the estimator when applied to a random sample of the groups' members. Experiment 2 works with the full population of group members but uses random samples from the counterfactual groups to reduce the computational burden arising from the combinatorics of large groups. I discuss motivation, set-up, implementation and results of each experiment in turn.

Benchmark study

The following steps replicate the results of the benchmark experiment in Table 3. The R code for replication is available in the documentation of function `mce`.

Implementation:

1. Following the nature of the data in the BAAC 2000 survey, I simulate individual-level, independent variables for 40 two-group markets with groups of size five.

```
R> idata <- stabsim(m=40, ind=5, seed=123, gpm=2)
```

2. Repeat the following steps for $i=1$ to 1000.

- a) Draw group-level unobservables ξ and η that determine both (i) which groups are observed in equilibrium and (ii) the equilibrium group outcomes.

```
R> mdata <- stabit(x=idata, selection=list(ieq="wst"), outcome=
+ list(ieq="wst"), simulation="NTU", method="model.frame", seed=i)
```

- b) Obtain parameter estimates using (i) OLS and (ii) the structural model.

```
R> ols <- stabit(x=mdata, method="outcome", niter=400000)
R> fit <- stabit(x=mdata, method="NTU", niter=400000)
```

Interpretation: The results for the benchmark study in Table 3 confirm the upward bias in the OLS estimates of the slope coefficient β . It is seen that the structural model successfully reduces the bias resulting from endogenous matching into groups. Note that the modes of the simulated posterior distributions in the first row of Figure 5 correspond to the true values in the first row of Table 3.

The benchmark study works with the full population of borrowers. The two experiments below investigate the robustness of the estimator for the practically more relevant case of working with random samples from the population of interest.

Table 3: Monte Carlo results for 40 two-group markets (based on 512 draws)

	Parameters	α	(Intercept)	β	δ	σ_ξ^2
	True values	1	0	-1	0.5	1
Benchmark: All group members (5/5); all counterfactual groups (250/250)						
5/5; 250/250	OLS	–	0.304	-0.282	–	1.501
	Structural	0.958	-0.112	-0.802	0.469	1.072
Experiment 1: 5 randomly sampled group members; all counterfactual groups						
5/6; 250/250	OLS	–	0.377	-0.242	–	1.676
	Structural	0.748	-0.108	-0.642	0.570	0.973
Experiment 2: All group members; 250 randomly sampled counterfactual groups						
6/6; 250/922	OLS	–	0.365	-0.121	–	1.695
	Structural	1.052	0.048	-0.707	0.567	0.978


Experiment 1: randomly sampled group members

While group sizes at Grameen Bank, for example, have evolved to five members, self-help group and village lending schemes operate with up to 30 members. Surveys, such as the BAAC survey (Townsend 2000), are often restricted to a random sample of the groups' members.

Set-up: I continue to work with a sample of five borrowers per group but take original group sizes to be six borrowers. This means that one group member is dropped at random.

Implementation:

Figure 5: Posterior distributions of parameters for benchmark simulations. True value are given by vertical, dotted lines. Structural model and OLS estimates for 1,000 draws are given by straight and dashed lines, respectively.



1. Simulate group-level, independent variables for all $\binom{2n}{n}$ feasible groups of size $n = 6$ in two-group markets.
2. Repeat the following steps 1,000 times.
 - a) Draw group-level unobservables ξ and η that determine both (i) which groups are observed in equilibrium and (ii) the equilibrium group outcomes.
 - b) Randomly drop one member per equilibrium group.
 - c) Generate new group-level, independent variables from the reduced sample of group members (leaving the equilibrium group indicator, D , and group outcomes, R , unchanged).
 - d) Obtain parameter estimates using (i) OLS and (ii) the structural model.

Interpretation: The results for Experiment 1 in Table 3 display clear evidence of attenuation bias (see Wooldridge 2002, Chapter 4.4.2) in both the OLS and structural estimates. The random sampling of group members induces measurement error in the group-level, independent variables that biases the slope estimates towards zero.

Experiment 2: randomly sampled counterfactual groups

While data on the full population of group members solves the attenuation problem encountered in Experiment 1, it creates another problem for statistical analysis. The BAAC 1997 survey (Townsend 1997), for example, comprises data from two-group markets with up to

20 members resulting in $\binom{40}{20} \approx 137.85$ billion feasible groups per market which renders the analysis computationally intractable.

Set-up: As in Experiment 1, the original group size is taken to be six members. In two-group markets, this results in $\binom{12}{6} - 2 = 922$ counterfactual groups, from which 250 groups are sampled at random for the analysis.

Implementation:

1. Simulate group-level, independent variables for all $\binom{2n}{n}$ feasible groups of size $n = 6$ in two-group markets.
2. Repeat the following steps 1,000 times.
 - a) Draw group-level unobservables ξ and η that determine both (i) which groups are observed in equilibrium and (ii) the equilibrium group outcomes.
 - b) Randomly draw 250 groups from the set of counterfactual groups.
 - c) Obtain parameter estimates using (i) OLS and (ii) the structural model.

Interpretation: The results for Experiment 2 in Table 3 suggest that working with a random sample of counterfactual groups does not affect the mode of the posterior distribution of the coefficients. However, the standard deviation of the posterior distribution of β increases from $\hat{\sigma}_{\hat{\beta}} = 0.75$ to 0.79 (not reported in Table 3). A possible explanation is that the random sampling relaxes the equilibrium bounds which results in increased uncertainty in the parameter estimates.

5. Application in microfinance

This section contains R code to replicate the results of the structural model in Table 3 of Klein (2015a). To begin with, load the individual-level data contained in the **matchingMarkets** package (Klein 2015b) and standardise the variables. The 292 borrowers, are nested within 68 groups and 39 markets.

```
R> ## 1. Load individual-level data
R> library("matchingMarkets")
R> data(baac00)
R> baac00$pi <- baac00$pi + (1-baac00$pi)*0.5
R> baac00$loan_size <- baac00$loan_size/sd(baac00$loan_size)
R> baac00$loan_size2 <- baac00$loan_size^2
R> baac00$lngroup_agei <- baac00$lngroup_agei/sd(baac00$lngroup_agei)
```

In the next step, specify variables and variable transformations for selection and outcome equation. The function **stabit** generates the group-level design matrix and runs the Gibbs sampler with 800,000 iterations to obtain the results of the structural model.

```
R> ## 2-a. Run Gibbs sampler
R> klein15a <- stabit(x=baac00, method="NTU",
+   selection = list(inv="pi",ieq="wst"),
```

```
+ outcome = list(add="pi",inv="pi",ieq="wst",
+               add=c("loan_size","loan_size2","lngroup_agei")),
+ offsetOut=1, binary=TRUE, gPrior=TRUE, marketFE=TRUE, niter=800000
+ )
```

Alternatively, the results can be loaded directly from the package.

```
R> ## 2-b. Load data and get marginal effects
R> data(klein15a)
R> mfx(m=klein15a)$mfx.selection[1:2,]
      mx s.e. t.stat p.val stars
pi.inv -0.778 0.992 -0.785 0.216
wst.ieg 0.356 0.119  2.984 0.001   **
R> mfx(m=klein15a)$mfx.outcome[c(1:5,20),]
      mx s.e. t.stat p.val stars
pi.inv      1.571 1.813  0.867 0.195
wst.ieg     -0.586 0.243 -2.413 0.010   **
loan_size.add 0.970 0.362  2.680 0.005   **
loan_size2.add -0.187 0.080 -2.338 0.012   *
lngroup_agei.add -0.395 0.109 -3.609 0.000   ***
delta       0.512 0.127  4.028 0.000   ***
```

The results on the attenuation bias in Experiment 1, Section 4, suggests that the difference in the parameter estimates of the Probit and the structural model underestimate the true confounding effect of endogenous matching. Specifically, the selection problem arising from endogenous group formation – while already strongly significant – is still likely to be under-rated because attenuation results in an *underestimation* of the positive Probit coefficient and, at the same time, an *overestimation* of the negative coefficient from the structural model.

The function `khb` implements the statistical test for confounding in Probit models proposed in [Karlson *et al.* \(2012\)](#). The function takes as arguments the data frame of independent variables $X=X$, the dependent variable $y=R$, and the name of the confounding variable $z="eta"$.

```
R> ## 3. Test for confounding from sample selection
R> ## model matrix
R> M <- klein15a$model.list
R> X <- do.call(rbind.data.frame, M$X)
R> eta <- c(klein15a$coefs$eta, rep(0, length(M$X)-length(M$W)))
R> X <- cbind(X,eta)
R> ## outcome
R> y <- unlist(M$R)
R> ## KHB test
R> head(khb(X=X, y=y, z="eta"),5)
```

Karlson-Holm-Breen method

Null hypothesis: Change in coefficient is not attributable to confounding by z.
p.value

pi.inv	0.5581
wst.ieq	0.0480
loan_size.add	0.9034
loan_size2.add	0.0442
lngroup_agei.add	0.0412

The procedure tests for differences in probit and structural model coefficients. It confirms that the probit estimates for variables `wst.ieq`, `loan_size2.add` and `lngroup_agei` are significantly confounded as a result of endogenous matching.

References

- Ahlin C (2009). “Matching for credit: Risk and diversification in Thai microcredit groups.” *Working Paper 251*, Bureau for Research and Economic Analysis of Development.
- Ahlin C, Townsend R (2007). “Using repayment data to test across models of joint liability lending.” *The Economic Journal*, **117**(517), F11–F51. ISSN 1468-0297.
- Albert JH, Chib S (1993). “Bayesian analysis of binary and polychotomous response data.” *Journal of the American Statistical Association*, **88**(422), 669–679.
- Bresnahan T, Reiss P (1991). “Empirical models of discrete games.” *Journal of Econometrics*, **48**(1-2), 57–81. ISSN 0022-3808.
- Brock W, Durlauf S (2007). “Identification of binary choice models with social interactions.” *Journal of Econometrics*, **140**(1), 52–75.
- Carpenter S, Sadoulet L (2000). “Risk-matching in credit groups: Evidence from Guatemala.” In *Econometric Society World Congress 2000 Contributed Papers*. Econometric Society.
- Ciliberto F, Tamer E (2009). “Market structure and multiple equilibria in airline markets.” *Econometrica*, **77**(6), 1791–1828.
- Gale D, Shapley L (1962). “College admissions and the stability of marriage.” *The American Mathematical Monthly*, **69**(1), 9–15.
- Ghatak M (1999). “Group lending, local information and peer selection.” *Journal of Development Economics*, **60**(1), 27–50. ISSN 0304-3878.
- Goldberger A (1983). *Studies in Econometrics, Time Series, and Multivariate Statistics*, chapter Abnormal Selection Bias, pp. 67–84. New York: Academic Press.
- Heckman J (1979). “Sample Selection Bias as a Specification Error.” *Econometrica*, **47**(1), 153–161. ISSN 00129682. URL <http://www.jstor.org/stable/1912352>.
- Herring C (2009). “Does diversity pay? Race, gender, and the business case for diversity.” *American Sociological Review*, **74**(2), 208–224.

- Hoogendoorn S, Oosterbeek H, Van Praag M (2013). “The impact of gender diversity on the performance of business teams: Evidence from a field experiment.” *Management Science*, **59**(7), 1514–1528. URL <http://gap.hks.harvard.edu/impact-gender-diversity-performance-business-teams-evidence-field-experiment>.
- Kaneko M, Wooders M (1982). “Cores of partitioning games.” *Mathematical Social Sciences*, **3**, 313–327.
- Karlson KB, Holm A, Breen R (2012). “Comparing regression coefficients between same-sample nested models using logit and probit: A new method.” *Sociological Methodology*, **42**(1), 286–313.
- Klein T (2015a). “Does anti-diversification pay? A one-sided matching model of microcredit.” *Cambridge Working Papers in Economics 1521*, Faculty of Economics, University of Cambridge.
- Klein T (2015b). “matchingMarkets: Analysis of stable matchings.” *R package version 0.2-1*, The Comprehensive R Archive Network.
- Lensink R, Mehrteab H (2003). “Risk behaviour and group formation in microcredit groups in Eritrea.” *Working Paper 03/02*, CREDIT, University of Nottingham.
- Pycia M (2012). “Stability and preference alignment in matching and coalition formation.” *Econometrica*, **80**(1), 323–362.
- Quint T (1991). “Necessary and sufficient conditions for balancedness in partitioning games.” *Mathematical Social Sciences*, **22**(1), 87–91. ISSN 0165-4896.
- R Core Team (2014). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria. URL <http://www.R-project.org/>.
- Sørensen M (2007a). “How smart is smart money? A two-sided matching model of venture capital.” *The Journal of Finance*, **62**(6), 2725–2762.
- Sørensen M (2007b). “Identification of multi-index sample selection models.” *Working paper*, Columbia Business School.
- Townsend R (1997). “Townsend Thai Project Initial Bank for Agriculture and Agricultural Cooperatives (BAAC) Survey, 1997.” Available at <http://hdl.handle.net/1902.1/10676>, Murray Research Archive.
- Townsend R (2000). “Townsend Thai Project Bank for Agriculture and Agricultural Cooperatives (BAAC) Annual Resurvey, 2000.” Available at <http://hdl.handle.net/1902.1/12057>, Murray Research Archive.
- Wooldridge J (2002). *Econometric analysis of cross section and panel data*. The MIT press.
- Zellner A (1986). *On assessing prior distributions and Bayesian regression analysis with g-prior distributions*, volume 6, pp. 233–243. North-Holland, Amsterdam.

A. Example of sorting bias II: measurement error

The following example builds on the example in Section 2 and illustrates the bias arising when variables influencing market sorting are measured with error.

A.1. Match valuation

To simplify the exposition, consider match valuations given as

$$V_{ij} = \alpha_1(d_i + d_j) + \eta_{ij}. \quad (15)$$

Here, d_i and d_j give the risk type (probability of default) of borrower i and j and α_1 is a coefficient. The unobserved match valuation is captured by the match-specific error term η_{ij} . Now let A and B be safe types, denoted $d_A = d_B = 5\%$, and C and D risky types ($d_C = d_D = 15\%$). Further, let the interest payment be $r = 120$ and the joint liability payment $q = 20$. The six valuations, V_{ij} , are then given in Table 4.

Table 4: Match valuations* of all feasible groups

	A	B	C	D
A ($d_A=5\%$)		$-2 + \eta_{AB}$	$-4 + \eta_{AC}$	$-4 + \eta_{AD}$
B ($d_B=5\%$)			$-4 + \eta_{BC}$	$-4 + \eta_{BD}$
C ($d_C=15\%$)				$-6 + \eta_{CD}$
D ($d_D=15\%$)				

*parameters: $d_i = 1 - p_i$; $r = 120$; $q = 20$; $\alpha_1 = -q = -20$

A.2. Match outcome

The outcome Y_{ij}^* , is a latent variable that gives the expected loan repayment for a group comprising borrower i and j as

$$Y_{ij}^* = 2r + (q - r)(d_i + d_j) + \varepsilon_{ij} \quad (16)$$

$$= \beta_0 + \beta_1(d_i + d_j) + \varepsilon_{ij}, \quad (17)$$

where Y_{ij}^* determines the binary variable Y_{ij} that indicates successful repayment of group ij by the following threshold rule $Y_{ij} = 1[Y_{ij}^* > 0]$. Which outcomes are observed is determined by the equilibrium matching. Now consider estimating the parameter β_1 . The selection problem arises when the equilibrium is not independent of the outcome, i.e., when the distribution of ε is not independent of the distribution of η . To investigate the nature of the selection bias that arises in this example, note the true value of $\beta_1 = (q - r) = -100$, and $\beta_0 = 2r = 240$. The observed match outcomes are given in Table 5 according to Eqn 17.

Table 5: Match outcomes with systematic matching (partially unobservable characteristics).*

	A	B ($\bar{d}=10\%$)	C	D ($\bar{d}=10\%$)
A ($d_A=5\%$)		230		
B				
C ($d_C=15\%$)				210
D				

*true parameters: $\beta_0 = 240$; $\beta_1 = -100$; $r = 120$; $q = 20$

Assume first that the researcher observes the characteristics of one borrower for every matched group with an error.⁴ Thus part of the borrowers outcome-relevant quality is unobserved and therefore captured by the error term. Let the reported characteristics of borrowers B and D be the sample mean of $\bar{d} = 10\%$ and the characteristics of borrowers A and C be $d_A = 5\%$ and $d_C = 15\%$ as above.

The outcome for group AB is 230, and group CD has an outcome of 210, and a natural estimate of β_1 is -200 ($= [230 - 210]/[0.15 - 0.25]$). However, given the nature of the matching in this example, the estimate is severely downward biased. To see this, recall the omitted characteristics of borrowers B and D that lead to measurement error in our explanatory variable. The true model is $Y_{ij}^* = \beta_0 + (d_i + d_j)\beta_1 + \varepsilon_{ij}$. However, we estimate $Y_{ij}^* = \beta_0 + (d_i + \bar{d})\beta_1 + \varepsilon'_{ij}$ with $\varepsilon'_{ij} = (d_j - \bar{d})\beta_1 + \varepsilon_{ij}$. Now, if d_j is correlated with d_i , then d_i is correlated with ε'_{ij} and the estimate of β_1 is biased. Specifically, because of assortative matching in the market we have $cov(\varepsilon'_{ij}, d_i) < 0$ and the estimate is downward biased.⁵

If we observed the omitted borrower characteristics $d_B = 5\%$ and $d_D = 15\%$ the measurement error resolves. The natural and unbiased estimate of β_1 is -100 ($= [230 - 210]/[0.1 - 0.3]$). The bias is a consequence of the systematic selection of the observed sample of outcomes. Table 6 shows that we can obtain unbiased estimates – even if the quality of B and D is unobserved – when we observe the outcomes at random.

Table 6: Match outcomes with random assignment (partially unobservable characteristics)*

	A	B ($\bar{d}=10\%$)	C	D ($\bar{d}=10\%$)
A ($d_A=5\%$)		230	220	220
B			220	220
C ($d_C=15\%$)				210
D				

*true parameters: $\beta_0 = 240$; $\beta_1 = -100$


The above is essentially the outcome of the experiment outlined in the introductory section. A comparison of the coefficient estimate for the endogenously formed groups ($\hat{\beta}_1 = -200$) and the random assignment ($\hat{\beta}_1^* = -100$) separates the direct effect of risk type from selection bias (Figure 6).

Figure 6 illustrates the decomposition of ex-ante (sorting) and ex-post effects on lending outcomes. The latent outcome variable, Y_G^* , gives group G 's outcome. Following Ghatak (1999), the risk type of group G is given by the sum of its observed borrower risk types $X_G = \sum_{i \in G} d_i$. The dashed line gives the estimated relationship between group risk and lending outcome for a random assignment of borrowers into groups. This estimate coincides with the true underlying relationship, and an increase in group risk by 10% lowers the outcome by 10 units. The solid line gives the estimated relationship for the observed equilibrium $\mu_1 = \{AB, CD\}$. Here, the equilibrium matching is the result of an assortative matching of borrowers based on their risk type. This systematic matching leads to a downward bias in

⁴For example, interviews were conducted with one randomly selected group member who was also interviewed on some of the characteristics of her fellow group member. Such a sampling strategy is used by Carpenter and Sadoulet (2000), Lensink and Mehrteab (2003), and Ahlin and Townsend (2007). Assume, for example, that the characteristics of the second group member are reported as the sample average, $\bar{d} = 10\%$.

⁵Assortative matching on risk-type implies that $cov[d_j, d_i] > 0$ in the last argument of the straightforward algebra: $cov(\varepsilon'_{ij}, d_i) = cov[(d_j - \bar{d})\beta_1 + \varepsilon_{ij}, d_i] = cov[d_j\beta_1 - \bar{d}\beta_1 + \varepsilon_{ij}, d_i] = \beta_1 \cdot cov[d_j, d_i] = -100 \cdot cov[d_j, d_i] < 0$. If we observed the group constellations at random, i.e., a random sample with $cov[d_j, d_i] = 0$, the bias resolves.

Figure 6: Decomposition of direct effect of risk-type on lending outcomes and selection effect.



the linear probability model. If there was random assignment of borrowers to groups, the two lines would overlap completely.

To see how this experimental result can be obtained from non-experimental data, I adapt an example from Sørensen (2007a). Consider observing a second market with similar borrowers but with two additional borrowers A' and D' of risk-types $d_{A'} = 0\%$ and $d_{D'} = 20\%$ (Table 7). The presence of A' and D' changes the relative rankings in the market.⁶ Again, we only observe the risk-type of one borrower per match and again the estimate of β is biased downwards, -192.9 in this case. However, a direct comparison of the two markets shows that the expected group repayment of borrower B and D increases by 5 and 10 units when their match partners' default risk reduces by 5% and 10% respectively. A natural estimate of β is -100 .

Table 7: Match outcomes with exogenous variation (partially unobservable characteristics)

	A'	A	B	C	D	D'
A' ($d_{A'} = 0\%$)			235			
A ($d_A = 5\%$)			230		220	
B						
C ($d_C = 15\%$)					210	205
D						
D'						

⁶Suppose B breaks up her match with A to match with the safer A' . This in turn may lead D to break up her current match with C to match with the safer single A . C then matches with the remaining high risk D' .

B. Example of sorting bias III: market-level variables

This section shows that sorting bias persists – even in the absence of omitted variables and measurement error – when the analysis is based on market-level, rather than group-level variables. To illustrate, I use a measure from the village-level analysis in [Ahlin and Townsend \(2007\)](#). If agents are of one of two types, this measure gives the probability that two randomly chosen agents from the same market are of the same type. The endogeneity problem of the market-level measure is stated and derived formally in Proposition [B.1](#).

Proposition B.1 *Market-level measures lead to an upward bias in the regression coefficient unless the matching into groups is random w.r.t. exposure type.*

Proof B.1 *I illustrate the bias using two exposure types A and B with proportion θ_A and $\theta_B := 1 - \theta_A$ respectively, (see [Ahlin 2009](#)). The probability of drawing two agents of the same type $s = A, B$ is θ_s^2 . The measure used in [Ahlin and Townsend \(2007\)](#) for village or market t is then simply given by*

$$\tilde{X}_t = \sum_{s \in \{A, B\}} \theta_{st}^2. \quad (18)$$

If agents do match on exposure type, i.e. they anti-diversify, the true village-level average of this measure will always be higher than the measure used by the authors. For example, under assortative matching on exposure type, one group will be homogeneous in the leading exposure type, say A. The probability of drawing two group members of the same type in this group is 1. The residual group has proportion $2\theta_B$ of B-types and proportion $2(\theta_A - \frac{1}{2})$ of A-types, and the average village-level project covariation is



$$X_t = \frac{1}{2} \left[1 + \left(2 \left[\theta_{At} - \frac{1}{2} \right] \right)^2 + (2\theta_{Bt})^2 \right]. \quad (19)$$

The values for X_t (assortative matching on exposure type) and \tilde{X}_t (random matching) are plotted for different levels of θ_A in [Figure 7](#). It is clear from the figure and fairly intuitive that anti-diversification results in a higher village-level project covariation; that is, the dotted line is always above the solid line. What is interesting about this figure is that the measurement error (shaded area in [Figure 7a](#)) from using \tilde{X}_t , when matching is assortative and the true measure should be X_t , is negatively related to the erroneous measure \tilde{X}_t (see [Figure 7b](#)). Following a standard argument⁷, this results in an upward bias of the coefficient pertaining to project covariation.

⁷Let the true specification be $Y_{Gt} = \beta_0 + \beta_1 X_t + \varepsilon_{Gt}$. For this specification it holds that $\mathbb{E}[\varepsilon_{Gt}|X_t] = 0$. Furthermore, let X_t be the true value of X and \tilde{X}_t , the covariation measure that falsely assumes random matching on risk exposure type. We estimate $Y_{Gt} = \beta'_0 + \beta'_1 \tilde{X}_t + \varepsilon'_{Gt}$ with $\varepsilon'_{Gt} = \beta_1(X_t - \tilde{X}_t) + \varepsilon_{Gt}$. If $(X_t - \tilde{X}_t)$ is negatively correlated with \tilde{X}_t (see [Figure 7](#)), then \tilde{X}_t is negatively correlated with the error term ε'_{Gt} and $\hat{\beta}_1$ is biased and inconsistent. Because $\beta_1 < 0$, the bias is upwards.

Figure 7: Measurement error in group-level variables

- (a) Erroneous measure \tilde{X}_t and correct measure X_t against share of leading exposure type A
- (b) Measurement error $\tilde{X}_t - X_t$ against erroneous measure \tilde{X}_t



C. Equilibrium characterisation

Under transferable utility, agents can write binding contracts that specify how to share the total pay-off generated by the collective of all players in the market. As a result, the coordinated efforts of borrowers lead to a matching that maximises the total market pay-off. This pay-off is then shared between the players according to the binding contracts.

C.1. Stability and uniqueness

The group formation game under transferable utility is a special case of the [Kaneko and Wooders \(1982\)](#) partitioning game. A partitioning game consists of a finite set of N players $\mathcal{N} = \{1, \dots, N\}$ and a characteristic function V that assigns a value to each group of players, $G \subset \mathcal{N}$. In the partitioning game, only certain coalitions – so-called *basic coalitions* – can create value. These coalitions are subsets of \mathcal{N} . In the group formation game, the basic coalitions are all groups of size n . The collection of these basic coalitions Ω is the set of feasible matches, i.e. borrowing groups. It can be written as $\Omega = \{G \subset \mathcal{N} : |G| = n\}$.⁸

For the partitioning game, [Quint \(1991\)](#) shows that the equilibrium⁹ coincides with the set of optimal solutions to the dual of a linear programming problem.

C.2. Equilibrium characterisation

Let M denote the set of feasible matchings (or group constellations μ) in the sense that each agent is matched exactly once. This set comprises both the observed group constellation in village t and all unobserved group constellations.¹⁰ The latter contain equally sized, alternative groups in the same village composed of borrowers from the observed groups. Using this definition, the objective function of the PLP can be rewritten as below. An *optimal partitioning* is a matching μ that maximises the total valuation in the market. This matching is such that it solves the following maximisation problem.

$$\max_{\mu \in M} \sum_{G \in \mu} V_G \quad (20)$$

The equilibrium condition for a coalition-wise (or core) stable matching is given by the following inequality, where $M \setminus \tilde{\mu}$ gives the set of feasible deviations from the equilibrium matching $\tilde{\mu}$.

$$\sum_{G' \in \tilde{\mu}} V_{G'} > \max_{\mu \in M \setminus \tilde{\mu}} \sum_{G \in \mu} V_G \quad (21)$$

The condition can be restated in two simple inequalities that impose upper bounds for non-equilibrium matchings and lower bounds for the equilibrium matchings. [Proposition C.1](#)

⁸In the empirical context of this paper, the set of feasible groups is obtained by generating all k -for- k borrower swaps across two groups in the same village. The total number of swaps in a village with two groups of five borrowers is given by $5 \times 5 = 25$ 1-for-1 swaps, $10 \times 10 = 100$ 2-for-2 swaps, $10 \times 10 = 100$ 3-for-3 swaps and $5 \times 5 = 25$ 4-for-4 swaps (= 250 in total).

⁹Specifically, the set of feasible allocations that cannot be improved upon. This is also referred to as the ‘core’ in the matching literature.

¹⁰In a context with two groups per market, the number of feasible matchings $|M|$ is half the number of feasible matches $|\Omega|$.

summarises the conditions for pairwise stability based on the bounds \overline{V}_G^* and \underline{V}_G^* derived below.

Proposition C.1 *The matching μ is stable iff $V_G < \overline{V}_G^* \ \forall G \notin \mu$. Equivalently, the matching μ is stable iff $V_G > \underline{V}_G^* \ \forall G \in \mu$.*

Proof C.1 *A matching is stable if deviation is unattractive. Alternative matchings are therefore bound to have lower valuations than observed ones. This naturally leads to upper bounds $V_G < \overline{V}_G^*$ for the valuation of matches $G \in \mu$, not contained in the equilibrium matching $\tilde{\mu}$.*

$$V_G < \sum_{G' \in \tilde{\mu}} V_{G'} - \max_{\mu \in M \setminus \tilde{\mu}} \sum_{G'' \in \mu \setminus G} V_{G''} =: \overline{V}_G^* \quad (22)$$

The upper bounds \overline{V}_G^ are increasing in the valuation of the equilibrium matching $\tilde{\mu}$ (first term on RHS of the inequality in Eqn 22), and decreasing in the valuation of the optimal group constellation of all remaining borrowers not contained in G (second term). It is possible to invert the inequalities to obtain a lower bound $V_G > \underline{V}_G^*$ for the valuation of the equilibrium match $G \in \tilde{\mu}$.*

$$V_G > \max_{\mu \in M \setminus \tilde{\mu}} \sum_{G' \in \mu} V_{G'} - \sum_{G'' \in \tilde{\mu} \setminus G} V_{G''} =: \underline{V}_G^* \quad (23)$$

The lower bound \underline{V}_G^ is increasing in the valuation of the most attractive non-equilibrium matching (first term on RHS of the inequality in Eqn 23) and decreasing in the valuations of the other equilibrium matches without G (second term).*

These conditions are equivalent, but both are important for estimation as they impose different bounds on the latent valuation variables. These inequalities are used in the econometric model to truncate the valuations of feasible groupings.

D. Simulation of posterior distribution

The Bayesian estimator uses the data augmentation approach (proposed by [Albert and Chib 1993](#)) that treats the latent outcome and valuation variables as nuisance parameters. The following four steps illustrate the first iteration of the estimator for the first-stage matching model.

D.1. Match valuations for unobserved groups

The algorithm starts by simulating the latent match valuations for unobserved groups conditional on the data and parameters. In the first iteration illustrated here, the slope parameter α (blue asterisk) and the match valuations of the equilibrium groups (red asterisks) are initially set to zero and match valuations for unobserved groups (black circles) are drawn from a normal distribution with mean zero. For the observed groups to be in equilibrium, the match valuation of the unobserved groups must be lower than the maximum equilibrium group valuation. The draws from the normal are therefore censored from above (gray shades).

D.2. Match valuations for first observed group

In the next step, the match valuation is drawn from a normal distribution with mean zero (conditional mean given by the dashed line). The equilibrium condition holds because the valuation of the second equilibrium group is larger than that of any non-equilibrium group (indicated by the yellow shades). Thus the valuation can be drawn from an uncensored normal.

D.3. Match valuations for second observed group


Same procedure as in step 2.

D.4. Alpha slope parameter


Fit a regression based on the given valuations and data (solid line) and draw α (dashed blue line) from a normal distribution with mean and standard deviation of the estimated slope parameter. Use the new α draw in the next iteration to simulate the latent match valuations, etc etc.

Table 8: Simulation of posterior distribution: Conditional Draws for match valuations and model parameters


1. Match valuations for unobserved groups
before. after.




2. Match valuation for 1st observed group
before. after.



3. Match valuation for 2nd observed group
before. after.



4. Alpha slope parameter
before. after.



Affiliation:

Thilo Klein

Organisation for Economic Co-operation and Development

2 rue Andre Pascal

75775 Paris, France

E-mail: thilo.klein@oecd.org

URL: <http://klein.uk>